

**BEFORE THE FORUM**  
**FOR REDRESSAL OF CONSUMER GRIEVANCES**  
**IN SOUTHERN POWER DISTRIBUTION COMPANY OF A.P LIMITED TIRUPATI**  
**On this the 19<sup>th</sup> day of January 2019**  
**C.G.No:232/2018-19/Kadapa Circle**

**Present**

**Sri. A. Jagadeesh Chandra Rao**  
**Sri. A. Sreenivasulu Reddy**  
**Sri. D. Subba Rao**  
**Sri. Dr. R. Surendra Kumar**

**Chairperson**  
**Member (Finance)**  
**Member (Technical)**  
**Independent Member**

**Between**

G.C. Krishna Reddy,  
C/o. Kesava Reddy School,  
Potladurthy,  
Yerraguntla (M),  
Kadapa -Dist

Complainant

**AND**

1. Assistant Accounts Officer/ERO/Yerraguntla  
2. Assistant Engineer/O/Yerraguntla (R )  
3. Assistant Divisional Engineer/O/Yerraguntla  
4. Divisional Engineer/O/ Proddatur

Respondents

\*\*\*\*\*

**ORDER**

1. G.C. Krishna Reddy, C/o. Kesava Reddy School S/o. N. Subbi Reddy, Nidzivi (V) Yerraguntla (M) presented a complaint before this forum during the Vidhyut Adalat held at Yerraguntla on 18.08.2018. The complainant in his petition has informed that excess bills are being received for the last two months as he had exceeded the recorded maximum demand against the service No.2234504000698. But he had never exceeded the connected load. He had requested to withdraw the additional load amount included in the CC bills.
2. The Respondent No.2 in his written submission has informed that the recorded MD in the CT Meter of the service No. 2234504000698 of the complainant was more than the contracted demand i.e. 22.0 KW. The same was entered in the reading registers every month and intimated to the complainant to regularize the excess load. But the complainant has not responded. Additional load notice was automatically generated in MATS for the service exceeding the contracted load and additional load charges included in the CC bills.
3. Taking into consideration the petitions filed by 61 complainants in Yerraguntla, the forum has issued interim directions vide I.A No.06/2018-19 Kadapa Circle directing the

C. G. No. 232/2018-19/Kadapa Circle

RECEIVED  
10/1/19  
DATE 3/1/19

respondents not to disconnect the service connection of the complainant on the ground that they have not paid the miscellaneous charges mentioned in the respective electricity bills till the disposal of the case.

4. Point for determination is whether the respondents are entitled to include additional load amount automatically generated in the MATS without issuing notice on the complainant?

It is not just and reasonable to include any shortfall amount without issuing appropriate notice on the complainant. The act of the respondents in including the additional load amount on the ground that the same was automatically generated in the MATS is against the principles of natural justice, arbitrary and illegal. Any shortfall amount included in the bills without issue of notice on the complainant is liable to be set aside and the respondents are not entitled to include such amounts in the bills. Thus the point is answered accordingly.


5. In result, the respondents are directed to set aside the additional load amount included in the bills of the complainant besides withdrawing the delayed payment surcharge if any included on the above amount. However the respondents are at liberty to issue a fresh notice if the complainant has exceeded the contracted load in accordance with the provisions of Appendix No. IX of General Terms and Conditions of Supply.
6. Accordingly the complaint is disposed off in favour of the complainant.

If aggrieved by this order, the complainant may represent to the **Vidyut Ombudsman, Andhra Pradesh, Flat No:401, 4<sup>th</sup>Floor, Ashoka Chambers, Opposite to MLA Quarters, Adarsh Nagar, Hyderabad-500063**, within 30 days from the date of receipt of this order.

This order is passed on this, 19<sup>th</sup> day of January 2019.

Sd/-    Sd/-    Sd/-    Sd/-  
**Member (Finance)                  Member (Technical)                  Independent Member                  Chairperson**

**Forwarded By Orders**



**Secretary to the Forum**

To  
The Complainant  
The Respondents  
Copy to the General Manager/CSC/Corporate Office/ Tirupati for pursuance in this matter.  
Copy to the Nodal Officer (Executive Director/Operation)/CGRF/APSPDCL/TPT  
Copy Submitted to the Vidyut Ombudsman, Andhra Pradesh, Flat No: 401, 4th Floor, Ashoka Chambers, Opposite to MLA Quarters, Adarsh Nagar, Hyderabad-500063.  
Copy Submitted to the Secretary, APERC, 11-4-660, 4<sup>th</sup> Floor, Singareni Bhavan, Red Hills, Lakdikapool, Hyderabad- 500 004.

C. G. No. 232/2018-19/Kadapa Circle

**DESPATCHED**  
DATE 31/01