

BEFORE THE FORUM
FOR REDRESSAL OF CONSUMER GRIEVANCES
IN SOUTHERN POWER DISTRIBUTION COMPANY OF A.P LIMITED TIRUPATI

On this the 23rd day of March 2019

C.G.No:52/2018-19/Vijayawada Circle

Present

Sri. A. Jagadeesh Chandra Rao	Chairperson
Sri. A. Sreenivasulu Reddy	Member (Finance)
Sri. D. Subba Rao	Member (Technical)
Sri. Dr. R. Surendra Kumar	Independent Member

Between

K.Chinna Kanthaiyah, S/o. Krupanandam , Ilaparru, Nandivada, Krishna -Dist.	Complainant
--	--------------------

AND

1.Assistant Engineer/O/Nandivada 2.Assistant Divisional Engineer/O/Gudivada Town 3.Divisional Engineer/O/Gudivada	Respondents
--	--------------------

ORDER

1. Complainant presented a complaint stating that one Javvadi Sunda Rao and Javvadi Sahadevudu illegally cultivating aqua culture in Ac. 4.12 in Rs No: 64/2 and 0.32 cents in Rs No: 62/2 A of Elaparru (V) against the orders of the court. Those two persons also encroached site of Graveyard and panchayat road. So service connection may be issued only after determining the land of those persons after leaving the encroached land.
2. Respondents filed written submissions stating that Javvadi Sahadevudu applied for 40 HP service connection under Cat - III for prawn tank and estimation was sanctioned on 11.11.2017. But the work was not executed. They also stated that the Hon'ble High Court delivered a judgment in 27.11.2017 in W.P. No: 40257. The boundaries to the site are to be fixed by the revenue department and the work was not started.
3. A personal hearing was conducted through video conferencing on 05.03.2019 but the complainant was absent. Respondents say that the work was not yet commenced.

o/c
DESPATCHED
DATE 26/3

C.G.No.52/2018-19_Vijayawada Circle

4. The prayer of the complainant is that the service connection should not be released till the boundaries to the land of the Javvadi. Sahadevudu were fixed. Respondents in their written submission categorically stated that they are waiting for fixing of the boundaries by the revenue department. So the question of releasing of service connections without determining the boundaries of the land for which the electrical Service Connection was applied does not arise at all. The grievance of the complainant is only not to release the service connection till the boundaries to the land of the applicant is determined. So there is no need to issue any further directions to the respondents in this case as they themselves are awaiting the orders of the revenue department.

Accordingly the complaint is disposed off.

If aggrieved by this order, the complainant may represent to the **Vidyut Ombudsman, Andhra Pradesh, Flat No:401, 4thFloor, Ashoka Chambers, Opposite to MLA Quarters, Adarsh Nagar, Hyderabad-500063**, within 30 days from the date of receipt of this order.

This order is passed on this, the 23rd day of March 2019.


Sd/-
Member (Finance)

Sd/-
Member (Technical)

Sd/-
Independent Member

Sd/-
Chairperson

Forwarded By Orders


Secretary to the Forum

To

The Complainant

The Respondents

Copy to the General Manager/CSC/Corporate Office/ Tirupati for pursuance in this matter.

Copy to the Nodal Officer(Executive Director/Operation)/CGRF/APSPDCL/TPT

Copy Submitted to the Vidyut Ombudsman, Andhra Pradesh ,Flat No:401 ,4th Floor, Ashoka Chambers, Opposite to MLA Quarters , Adarsh Nagar,Hyderabad-500063.

Copy Submitted to the Secretary, APERC,11-4-660, 4th Floor, Singareni Bhavan, Red Hills, Lakdikapool, Hyderabad- 500 004.