

**CONSUMER GRIEVANCES REDRESSAL FORUM**  
**SOUTHERN POWER DISTRIBUTION COMPANY OF A.P LIMITED,**  
**TIRUPATI**

**This 06<sup>th</sup> day of August' 2024**

**C.G.No.85/2024-25/Kadapa Circle**

**CHAIRPERSON**

**Sri. V. Srinivasa Anjaneya Murthy**  
**Former Principal District Judge**

**Members Present**

<b>Sri. K. Ramamohan Rao</b>	<b>Member (Finance)</b>
<b>Sri. S.L. Anjani Kumar</b>	<b>Member (Technical)</b>
<b>Smt. G. Eswaramma</b>	<b>Member (Independent)</b>

***Between***

Sri. Y.V. Narayana Reddy, ~~Intioboyapalli~~  
Lingala (M), Kadapa District.

**INTI OBAIAH PALLI**

Complainant

***AND***

1. Dy. Executive Engineer/O/Pulivendula
2. Executive Engineer/O/Pulivendula

Respondents

This complaint came up for final hearing before this Forum through video conferencing on 05.08.2024 in the presence of the respondents, complainant remained absent and having considered the material placed by both the parties, this Forum passed the following

**ORDER**

- 01.** The complainant filed the complaint during Vidyut Adalat conducted at Puivendula on 05.07.2024 stating that though agricultural service connection was sanctioned to him, the line was not erected.



02. The said complaint was registered as C.G.No.85/2024-25 and notices were issued to the respondents calling for their response. The respondents submitted their response stating that due to shortage of line material such as Disc Insulators, Pin Insulators, Earth Pipes etc., in the District Stores there was delay in erection of the line and now the said material is available in the District Stores and they have drawn the same and completed line erection work.
03. Heard respondents through video conferencing. The complainant remained absent. When we contacted the complainant through phone, he reported that the respondents completed line erection work and redressed his grievance and requested to close the complaint. Since the purpose of the complainant is served, the complaint is closed. There is no order as to costs.
04. The complainant is informed that if he is aggrieved by the order of the Forum, he may approach the Vidyut Ombudsman, 3<sup>rd</sup> Floor, Plot. No.38, Adjacent to Kesineni Admin Office, Sriramachandra Nagar, Mahanadu Road, Vijayawada-08 in terms of Clause.13 of Regulation.No.3 of 2016 of Hon'ble APERC within 30 days from the date of receipt of this order and the prescribed format is available in the website vidyutombudsman.ap.gov.in.

Typed to dictation by the computer operator-2 corrected and pronounced in the open Forum on this 06<sup>th</sup> day of August'2024.

*Chairman* 06/08/24  
**CHAIRPERSON**

*S. Ramesh Babu*  
Member (Finance)  
06/08/2024

*Heaven*  
Member (Technical)

*G. Eswaranna* 6/8/2024  
Member (Independent)

**Documents marked**

**For the complainant: Nil**

**For the respondents: Nil**

**Copy to the**

**Complainant and All the Respondents**

**Copy Submitted to**

**The Chairman & Managing Director/Corporate  
Office/APSPDCL/ Tirupati.**

**The Vidyut Ombudsman, 3<sup>rd</sup> Floor, Plot  
No.38, Sriramachandra Nagar, Vijayawada-08.**

**The Secretary/Hon'ble APERC/Vidyut Niyantrana Bhavan, Adjacent  
to 220/132/33/11 KV AP Carbides Sub Station, Dinnedavarapadu  
Road, Kurnool-518002, State of Andhra Pradesh.**

**The Stock file.**

*Copy*  
*06/08/24*